



Docket 86171SLP
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

David P. Trauernicht, et al

STORAGE PHOSPHOR READOUT
SYSTEM USING RESONANT
MICROCAVITY CONVERTER

Serial No. US 10/718,429

Filed November 20, 2003

Group Art Unit: 2884

Examiner: David S. Baker

I hereby certify that this correspondence is being
deposited today with the United States Postal Service
as first class mail in an envelope addressed to
Commissioner For Patents, P.O. Box 1450, Alexandria,
VA 22313-1450.

Laurie A. Wurtz
LAURIE A. WURTZ
June 14, 2006
DELO

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Sir:

REQUEST FOR EXTENSION OF TIME
UNDER 37 C.F.R. 1.17 AND 1.136

CHECK ONE:

- ☒ Applicants petition for an extension of 3 months from
the expiration date of the shortened time period set by
the Office Action dated December 14, 2005.
- ☐ Applicants petition for a further extension of month from
the expiration date of the extension requested by Applicants
in the Request dated .

**Please charge the fee to Eastman Kodak Company Deposit Account No.
05-0225. A duplicate copy of this request is enclosed.**

06/19/2006 EAREGAY1 00000019 050225 10718429
01 FC:1253 1020.00 DA

Susan L. Parulski /law
Telephone: 585-477-4027
Facsimile: 585-477-4646

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the
Examiner is requested to communicate with Eastman Kodak Company Patent Operations at
(585) 477-4656.

Respectfully submitted,

Susan L. Parulski

Attorney for Applicants
Registration No. 39,824